

Purchase Order Receipt Listing

Tuesday, November 22, 2016 1:21:06 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO34359 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name	VU-TWWM001 TW Metals										
PO34359	1		M6061T6T0.375W.05 f 8		11/24/2016	11/22/2016	60.0000		0.0000	0	\$0.00
USD	No		6061-T6 RD Tube .375 x.058W m136196	f	60.0000	PLOU01			0.0000	0	
	2		M6061T6T0.500W.05 f 8		11/24/2016	11/22/2016	120.0000		0.0000	0	\$0.00
	No		6061-T6 RD Tube .500 x.058W m136196	f	120.0000	PLOU01			0.0000	0	
	3		71401-45		11/24/2016	11/22/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m136196		1.0000	PLOU01			0.0000	0	

Total Received Quantity: 181.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$0.00
Total Balance Due Quantity: 0.0000



O'Neal High-Performance Metals Group



Packing Slip

ORDER NO.: 60619999

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820 NET WGT: 15.430 REQ.DATE: 11/23/16 CONFIRMED
 SOLD TO: SHIP TO:
 DART AEROSPACE LTD DART AEROSPACE LTD
 1270 ABERDEEN ST 1270 ABERDEEN ST
 HAWKESBURY ON HAWKESBURY ON
 CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 11/18/16
 TERMS: NET 30 DAYS VIA: COMMON CARRIER
 F.O.B.: SHIPPING POINT FREIGHT: PREPAID
 CUST ORD NO.: PO34359 RELEASE NO.:
 RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	41952 D6061-T6 3/8 OD X .058 WA	12 FT	ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT
	60.000 FT	60.000 FT	60.000 FT	4.068

PCS
5

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
 PO:49347470 HT:111040 PC: 5 CUSTOMER QTY: 60.000 UOM FT
 MLT:UNITED STATES MFG:UNITED STATES SLB/CL:402873

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0002	58152 D6061-T6 1/2 OD X .058 WA	12 FT	ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT
	120.000 FT	120.000 FT	120.000 FT	11.362

PCS
10

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
 PO:49300447 HT:1020821001113 PC: 10 CUSTOMER QTY: 120.000 UOM FT
 MLT:TAIWAN MFG:TAIWAN SLB/CL:1020821001113

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	CARTON	1.000	20.000		12.5000	
		1.000	20.000			

BY: TW
 RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
 PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
 REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60619999

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820 NET WGT: 15.430 REQ.DATE: 11/23/16 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 11/18/16
TERMS: NET 30 DAYS 27 ENGLEHARD DRIVE
F.O.B.: SHIPPING POINT MONROE TWP NJ 08831
CUST ORD NO.: PO34359
VIA: COMMON CARRIER
FREIGHT: PREPAID
RELEASE NO.:
RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk C. J. H. H. H. Date: 11/18/16

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
REVIEW.
<http://www.twmetals.com/invoice-terms.html>



PRECISION TUBE CO.
287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 930

A COMPANY OF MUELLER INDUSTRIES

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49347470 LINE 001	402873	24A037500580006

SOLD: TW METALS
TO 235 TUBEWAY
CAROL STREAM, IL 60188
UNITED STATES

SHIP: TW METALS
TO 235 TUBEWAY
CAROL STREAM, IL 60188
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
4704 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P AMS-WW-T-700/60 ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3750 +.0030 -.0030 ID WALL .0580 +.0040 -.0040	4992 FT	05/17/16



MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	45,627	40,428	17		

DESTRUCTIVE TESTS

FLATTENING: PASS

DAS

Comments:

14

9-89

16/11/23

NON-DESTRUCTIVE TESTS

EDDY CURRENT: PASS

CHEMICAL COMPOSITION

ALLOY: 6061	HEAT:	TRACEABILITY #: 111040
		RAW MATL VENDOR: PTC1425 - Kaiser Aluminum
Min	Si 0.40 Fe 0.15 Cu 0.15 Mn 0.80 Mg 0.04 Cr 0.04 Zn 0.15 Ti Rem.	
Max	0.80 0.70 0.40 0.15 1.20 0.35 0.25 0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL		

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2011/65/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008

By: Art Onalitis
Art Onalitis
QA Manager

05/17/16

Page: 1 of 1

UMB

KAISER ALUMINUM

FABRICATED PRODUCTS

Best in Class


CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

TW METALS
TEST
MAY 23 16
ACCEPTED BY *MB*

CUSTOMER PO NUMBER: PTC1425		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC 500 LB/0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 319936	LINE ITEM: 001	SHIP DATE: 02/26/2016	KAISER LOT NUMBER: 50751-320	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 16980.000 LB	QUANTITY: 3057.000 PCS	B/L NUMBER: 004962	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 13.984 FT
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS(KSI)	YTS(KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-320	0001	0002	17.5	5.1	27.4	NA N/A	N/A	N/A
50751-320	0001	0003	17.7	5.9	27.6	NA N/A	N/A	N/A
50751-320	0001	0004	18.1	6.2	25.2	NA N/A	N/A	N/A
50751-320	0001	0005	17.7	4.8	27.9	NA N/A	N/A	N/A
50751-320	0001	0006	18.1	5.6	27.0	NA N/A	N/A	N/A
50751-320	0001	0007	17.7	5.3	28.5	NA N/A	N/A	N/A
50751-320	0001	0008	18.0	5.5	29.2	NA N/A	N/A	N/A
50751-320	0001	0009	17.3	4.5	26.6	NA N/A	N/A	N/A
50751-320	0001	0010	17.0	5.9	27.9	NA N/A	N/A	N/A
50751-320	0001	0011	18.0	6.1	28.7	NA N/A	N/A	N/A
50751-320	0001	0012	17.3	5.8	27.2	NA N/A	N/A	N/A
50751-320	0001	0013	17.3	5.0	28.3	NA N/A	N/A	N/A
50751-320	0001	0014	17.7	6.3	27.2	NA N/A	N/A	N/A
50751-320	0001	0015	17.5	6.0	28.2	NA N/A	N/A	N/A
50751-320	0001	0016	16.8	5.6	25.4	NA N/A	N/A	N/A
50751-320	0001	0017	17.0	5.0	25.8	NA N/A	N/A	N/A
50751-320	0001	0001	17.0	5.9	27.9	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F75645	.60	.30	.22	.05	.98	.10	.06	.02	.00	.00	.00	.01	.02
F75642	.61	.32	.22	.05	.96	.09	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/B 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Plant Serial: 00013627
Kaiser Order Number: 319936
Line Item: 001

**KAISER
ALUMINUM
FABRICATED PRODUCTS**

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes


MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY
OF ITS COMPOUNDS ARE UTILITZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been
inspected and tested and found in conformance with applicable specifications forming a part of the
description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on
Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

Jph



Plant Serial: 00013627
Kaiser Order Number: 319936
Line Item: 001



YE FONG ALUMINIUM INDUSTRIAL

No. 12-10, Dongshi, Dongming Village, Xinwu Township,

Taoyuan County 32747, Taiwan, R.O.C

Tel: +886-3-4773677 Fax: +886-3-4972333 Email: ye-fong@ye-fong.com



Certificate of Quality

Sold by: Ye Fong Aluminium Industrial Ltd. (MADE IN TAIWAN)

Ship to: TW METALS-NY


Order No.: M49300447

Material: 6061-T6

Quantity: 418pcs (475.32lbs)

Lot No.: 10208210011-13

Specification: ASTM B210-12; WW-T-700/6F; AMS 4082P; AMS-WW-T-700/6B



No.	Contents	Requirement	Unit
1	Dimension	OD 0.500" X ± 0.058" X 12"	
2	Tensile Strength	≥ 42	ksi
3	Yield Strength	≥ 35	ksi
4	Elongation	≥ 12	%
5	Hardness		
6	Chemical Composition		

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Other Max	Other Total	Al
0.40-0.8	≤ 0.7	0.15-0.40	≤ 0.15	0.8-1.2	0.04-0.35	≤ 0.25	≤ 0.15	≤ 0.05	≤ 0.15	Rem

Remark: We certify that the material is free from mercury contamination.

Actual Measurement

No.	Contents	Measurement	Unit
1	Dimension	OD 0.500" X ± 0.058" X 12"	
2	Tensile Strength	48.09	ksi
3	Yield Strength	40.52	ksi
4	Elongation	20.00	%
5	Hardness	DAS 14	
6	Chemical Composition	9-89	

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Other Max	Other Total	Al
0.57	0.154	0.275	0.0927	0.899	0.123	0.0374	0.0247	0.0088	0.02294	Rem

Checked by: C.C. Huang

Date: 14 May 2014

Signature: C.C. Huang

Approved by: K.H. Tseng

Date: 14 May 2014

Signature: K.H. Tseng

Verified by: HAO. Lee

Date: 14 May 2014

Signature: HAO. Lee

Company Stamp

QP-014



Only Stamped Certificate Valid

4MB

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M606176 TO .500W.058 PO / BATCH NO.: 34359/136196
 DATE: 11/11/23

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 120'
 QUANTITY INSPECTED: 120'
 QUANTITY REJECTED: _____

THICKNESS ORDERED: .500
 THICKNESS RECEIVED: .500
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>606176</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>.500</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>ASTM B210</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT# 102082100.1113</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>M606176 TO .500W.058</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M136196</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9.89</u> DATE: <u>11/11/23</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 T.375 W.058

PO / BATCH NO.: 34359/136196

DATE: 11/11/23

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .375

QUANTITY RECEIVED: 60

THICKNESS RECEIVED: .375

QUANTITY INSPECTED: 60

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	<u>M6061T6</u>
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	<u>.375</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	<u>ASTM B210</u>
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N	<u>HEAT # 111040</u>
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N	<u>M6061T6 T0.375 W.058</u>
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N	<u>M136196</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 14</u> DATE: <u>11/11/23</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34359**

Purchase Order Date 11/17/2016

PO Print Date 11/17/2016

Page Number 1 of 2

Order From :

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

NOV 17 2016

Contact Name

Vendor Phone 585 768 5600

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T0.375W.058 ✓	6061-T6 RD Tube .375 x.058W	11/24/2016 Yes 11/24/2016		60.00 ✓ f	\$2.15	\$129.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$129.00
2	M6061T6T0.500W.058 ✓	6061-T6 RD Tube .500 x.058W	11/24/2016 Yes 11/24/2016		120.00 ✓ f	\$1.75	\$210.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$210.00

SP/6-11-22

Note:

11/17/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34359

Purchase Order Date 11/17/2016

PO Print Date 11/17/2016

Page Number 2 of 2

Order From :
TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 585 768 5600

Ship To Contact
Ship To Phone
Ship Via: YRC COLLECT
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB FCA - (Free Carrier)

3	71401-45	PROCUREMENT QUALITY CLAUSES	11/24/2016	1.00	✓	\$0.00	\$0.00
---	----------	--------------------------------	------------	------	---	--------	--------

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

No
11/24/2016

Spoke-11-22

Line Total: \$0.00

PO Total: \$339.00

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 11/17/2016